SPECIALTY RACKS

ROTO RACKS

SKB roto-molded racks are 19″ deep with a molded-in unbendable valance, threaded steel rails, with self tapping screws



FEATURES

- Roto-molded for strength and durability
- Front and rear gasket sealed covers
- Interlocking stacking ribs
- New size bar cover design
- Recessed latches
- Heavy-duty flush mount handles
- Roto-molded uni-body construction
- Rack mount hardware included for secure front or rear mounting
- Threaded steel rails
- Rear rails included
- Front and rear full size lids
- Molded-in handles
- Shock absorbing feet
- Recessed latches

AVAILABLE SIZES

Model #	Lid Depth Front	Lid Depth Rear	Rack Units	Rack Height
1SKB-R2U	1.25″ *3.2 cm*	1.25″ *3.2 cm*	2U	3.5″ *8.9 cm*
1SKB-R3U	1.25″ *3.2 cm*	1.25″ *3.2 cm*	3U	5.25″ *13.3 cm*
1SKB-R4U	1.25″ *3.2 cm*	1.25″ *3.2 cm*	4U	7″ *17.8 cm*
1SKB-R6U	1.25″ *3.2 cm*	1.25″ *3.2 cm*	6U	10.5″ *26.7 cm*
1SKB-R8U	1.25″ *3.2 cm*	1.25″ *3.2 cm*	8U	14″ *35.6 cm*
1SKB-R10U	1.25″ *3.2 cm*	1.25″ *3.2 cm*	10U	17.5″ *44.5 cm*
1SKB-R12U	1.25″ *3.2 cm*	1.25″ *3.2 cm*	12U	21″ *53.3 cm*

SHALLOW RACKS

10.5″ depth shallow racks accommodate a variety of smaller components without unplugging to close the back panel. This case is compact and stacks on all amps.



FEATURES

- Roto-molded for strength and durability
- Front and rear gasket sealed covers
- Interlocking stacking ribs
- Recessed latches
- Heavy-duty flush mount handles
- Shock absorbing rubber feet
- Rack mount hardware included for secure front or rear mounting

AVAILABLE SIZES

Model #	Lid Depth Front	Lid Depth Rear	Rack Units	Rack Height
1SKB-R2S	1.25″ *3.2 cm*	1.25″ *3.2 cm*	2U	3.5″ *8.9 cm*
1SKB-R3S	1.25″ *3.2 cm*	1.25″ *3.2 cm*	3U	5.25″ *13.3 cm*
1SKB-R4S	1.25″ *3.2 cm*	1.25″ *3.2 cm*	4U	7″ *17.8 cm*
1SKB-R6S	1.25″ *3.2 cm*	1.25″ *3.2 cm*	6U	10.5″ *26.7 cm*

SPECIALTY RACKS

NON-SHOCK ROLLING RACKS

Improved Rolling Rack models offer secure protection with the convenience of sturdy wheels and a pull handle



FEATURES

- Stacks with SKB Standard and Shallow Racks
- Military-grade butterfly latches
- Gasket-sealed lids
- Back lid mounted wheels
- Threaded steel rails
- Rear rack rails included
- Rear access door
- Low profile handle

AVAILABLE SIZES

Model #	Lid Depth Front	Lid Depth Rear	Rack Units	Rack Height
1SKB-R4UW	1.5″ *3.81 cm*	1.5″ *3.81 cm*	4U	7″ *17.8 cm*
1SKB-R6UW	1.5″ *3.81 cm*	1.5″ *3.81 cm*	6U	10.5″ *26.7 cm*
1SKB-R8UW	1.5″ *3.81 cm*	1.5″ *3.81 cm*	8U	14″ *35.6 cm*

STUDIO FLYERS

A powerhouse of innovative features packed into a compact size and injection molded to be lighter, stronger, and less expensive than previous models



FEATURES

- Injection molded, waterproof construction
- Molded-in front/rear rack rails
- Rubber cleats to secure laptop on work surface
- Quiet-glide wheels and pull handle

AVAILABLE SIZES

Model #	Top Platform	Rack Units	Rack Height
1SKB-iSF2U	19″ x 11 ″ *48.26 cm x 27.94 cm*	2U	9.25″ *23.5 cm*
1SKB-iSF4U	21″ x 15.5″ *53.34 cm x 39.37 cm*	4U	13.5″ *34.3 cm*

P.O. Box 936
Sykesville, MD 21784

SPECIALTY CASES

800-267-1674
www.specialtycases.com

SPECIALTY RACKS

SOFT RACKS

These soft cases have been developed with the focus on portability and includes an adjustable shoulder strap and loop handle for easy transport



FEATURES

- Constructed of a wood core covered by 600 Denier Nylon
- Adjustable shoulder strap and loop handle for easy transport
- 14.8" depth (front rail to back flap)
- Padded front and back lids have heavy duty zippers
- Interior front pouch provides excellent storage of wireless mic antennae
- Exterior zippered pouch is ideal for cables and/or body packs
- Recessed threaded steel rack rails - hardware included
- Covered by SKB's One Year Soft Product Warranty

AVAILABLE SIZES

Model #	Rack Units	Rack Height
1SKB-SC191U	1U	1.75" *4.4 cm*
1SKB-SC192U	2U	3.5" *8.9 cm*
1SKB-SC193U	3U	5.25" *13.34 cm*
1SKB-SC194U	4U	7" *17.78 cm*

COMPACT RIGS

The perfect rack mount solution for carrying and protecting smaller pro audio gear as well as complete rolling transportation systems



FEATURES

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 10U, 7° angled top threaded steel rails for secure mounting of popular mixers/DJ controllers
- 2U/4U/6U threaded vertical steel rails on front
- Top and doors are injection molded of Rubber Modified Styrene (RMS)
- Rack mount hardware included
- Two removable side access plugs

AVAILABLE SIZES

Model #	Top Rack	Rack Units	Rack Height
1SKB-R100	10U	None	11.25" *28.6 cm*
1SKB-R102 1SKB-R102W	10U	2U	14.5" *36.8 cm*
1SKB-R104 1SKB-R104W	10U	4U	17.75" *45.1 cm*
1SKB-R106 1SKB-R106W	10U	6U	21.25" *54 cm*
1SKB-R1906		6U Front 6U Back	15" *38.1 cm*

GIG RIGS

The SKB Gig Rig series has set the standard for mixer/rack cases for more than 15 years, and the 4th Generation Gig Rig offers even more versatility than previous generations





FEATURES

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 7° angled top threaded steel rails for secure mounting of popular mixers
- Threaded vertical steel rails on front and back
- Rack mount hardware included
- Unique 3-piece design uses the top cover as a pedestal when attached to the wheeled base





AVAILABLE SIZES

Model #	Top Rack	Vertical Front Rack	Rack Height
1SKB19-R1406	14U	6U Front 6U Back	26.5″ *67.3 cm*
1SKB19-R1208	12U	8U Front 8U Back	29.5″ *74.9 cm*