



## DEPLOYABLE SHOCK RACK CASES

Stackable, mobile, and ready to ship



# SPECIALTY CASES

[DESIGN ■ SUPPORT ■ PROTECT]

A rugged MIL-STD 810 roto-molded shell ensures industry-leading strength and impact resistance, with molded in stacking ribs and lugs **designed to stack with competitive manufacturer's cases**. The standard COTS case comes with a 2" deep front and 5" deep rear lid, and edge casters for convenient transport. Available in 30", 24", and 20" rack depths.



### 3RR

## Removable Shock Racks

Removable (slide out) Series inner rack system is designed to meet ANSI/EIA-310-C standards with a "positive lock" inner rack latch

5" deep rear lid with edge wheels standard;  
2" deep rear lid (optional)

Rugged roto-molded construction meets MIL-STD 810

2" deep front lid standard;  
5" deep front lid (optional)

Lid hangers

Pressure relief valve

Stainless steel non-reflective latches

### 3RS Static Shock Racks



Coupling latches

Spring loaded cushion grip handles

Gasket sealed watertight construction

Elastomeric shock and vibration isolators with a standard payload range of 40 to 150 lbs; Optional dual isolators increase range to 300 lbs

Inner rack meets EIA-310 standards and comes with 10-32 mounting hardware; Available rack depths: 20", 24", 28" and 30"

### 3SKB Roto Shock Racks

When shock isolation is needed and overall value is a concern, this series provides a great option in 30", 28", and 24" rack depths. Roto-molded with threaded steel rails, this series features an aluminum interior H-shaped frame for maximum strength, removable casters, and a compound

hinge system for fast deployment.



### 20" Roto Shock Racks

Roto-molded shock rack with threaded steel rails, aluminum interior H-shaped frame for maximum strength, adjustable elastomer shocks, and molded handles for

a secure

grasping point.



### 20" Shock Absorbing Rolling Racks

Roto-molded 20" deep rack frame with pull handle and wheels, a molded valance and rubber gasket on both front and rear doors for water resistance, and elastomeric shocks.



Contact your sales representative for more information on pricing, sizes, accessories, and customization options

# Shock Rack Size Options

| All Racks<br>Absorbers | Rack Height<br>Product |       |     | Rack Shock   |     |       | 19 Rack |       |            | Lid I.D. |      | Length |      | Width |      | Height |        |    |
|------------------------|------------------------|-------|-----|--------------|-----|-------|---------|-------|------------|----------|------|--------|------|-------|------|--------|--------|----|
|                        | U Size                 |       |     | Length/Depth |     |       | Width   |       | Front/Back |          | O.D. |        | O.D. |       | O.D. |        | Weight |    |
|                        | Model #                | U     | in  | mm           | in  | mm    | in      | mm    | in         | mm       | in   | mm     | in   | mm    | in   | mm     | lb     | kg |
| 3RR-3U20-22B           | 3                      | 5.25  | 133 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 11    | 279  | 44.4   | 20.1   | Y  |
| 3RS-3U20-22B           | 3                      | 5.25  | 133 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 11    | 279  | 34.5   | 15.6   | Y  |
| 3RR-3U24-25B           | 3                      | 5.25  | 133 | 24           | 610 | 18.31 | 465     | 2 / 5 | 51 / 127   | 39.1     | 992  | 23.8   | 605  | 11.8  | 301  | 57     | 25.9   | Y  |
| 3RS-3U24-25B           | 3                      | 5.5   | 140 | 24           | 610 | 18.31 | 465     | 2 / 5 | 51 / 127   | 39.1     | 992  | 23.8   | 605  | 11.8  | 301  | 46.6   | 21.1   | Y  |
| 3RR-3U30-25B           | 3                      | 5.25  | 133 | 30           | 762 | 18.31 | 465     | 2 / 5 | 51 / 127   | 45       | 1144 | 23.8   | 605  | 11.8  | 301  | 50.4   | 22.9   | Y  |
| 3RS-3U30-25B           | 3                      | 5.5   | 140 | 30           | 762 | 18.31 | 465     | 2 / 5 | 51 / 127   | 45       | 1144 | 28.8   | 732  | 11.8  | 301  | 50.4   | 22.9   | Y  |
| 3RR-4U20-22B           | 4                      | 7     | 178 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 13.5  | 343  | TBA    | TBA    | Y  |
| 3RS-4U20-22B           | 4                      | 7     | 178 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 13.5  | 343  | TBA    | TBA    | Y  |
| 1SKB-R904U20           | 4                      | 7     | 178 | 20           | 508 | 18.31 | 465     | 2.25  | 57         | 27       | 686  | 27.7   | 702  | 15.5  | 394  | 36     | 16.3   | Y  |
| 3SKB-R04U20W           | 4                      | 7     | 178 | 20           | 508 | 18.31 | 465     | 2.25  | 57         | 28.5     | 724  | 28     | 711  | 16    | 406  | 44.3   | 20.1   | Y  |
| 3RR-4U24-25B           | 4                      | 7     | 178 | 24           | 610 | 18.31 | 465     | 2 / 5 | 51 / 127   | 39.1     | 992  | 23.8   | 605  | 13.5  | 344  | 66.8   | 30.3   | Y  |
| 3RS-4U24-25B           | 4                      | 7     | 178 | 24           | 610 | 18.31 | 465     | 2 / 5 | 51 / 127   | 39.1     | 992  | 23.8   | 605  | 13.5  | 344  | 50.6   | 23     | Y  |
| 3SKB-R904U24           | 4                      | 7     | 178 | 24           | 610 | 18.31 | 465     | 4.5   | 114        | 36       | 914  | 26.8   | 679  | 16.3  | 413  | 58     | 26.3   | Y  |
| 3SKB-R904U28           | 4                      | 7     | 178 | 29.25        | 743 | 18.31 | 465     | 4.5   | 114        | 42       | 1067 | 26.8   | 679  | 16.3  | 413  | 61.5   | 27.9   | Y  |
| 3RR-4U30-25B           | 4                      | 7     | 178 | 30           | 762 | 18.31 | 465     | 2 / 5 | 51 / 127   | 45       | 1144 | 23.8   | 605  | 13.5  | 344  | 66.6   | 30.2   | Y  |
| 3RS-4U30-25B           | 4                      | 7     | 178 | 30           | 762 | 18.31 | 465     | 2 / 5 | 51 / 127   | 45       | 1144 | 23.8   | 605  | 13.5  | 344  | 53.8   | 24.4   | Y  |
| 3SKB-R904U30           | 4                      | 7     | 178 | 30           | 762 | 18.31 | 465     | 4.5   | 114        | 42       | 1067 | 26.8   | 679  | 16.3  | 413  | 60.8   | 27.6   | Y  |
| 3RR-5U20-22B           | 5                      | 8.75  | 222 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 15.3  | 389  | TBA    | TBA    | Y  |
| 3RS-5U20-22B           | 5                      | 8.75  | 222 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 15.3  | 389  | TBA    | TBA    | Y  |
| 3RR-5U24-25B           | 5                      | 8.75  | 222 | 24           | 610 | 18.31 | 465     | 2 / 5 | 51 / 127   | 39.1     | 992  | 23.8   | 605  | 15.3  | 390  | 66     | 29.9   | Y  |
| 3RS-5U24-25B           | 5                      | 8.75  | 222 | 24           | 610 | 18.31 | 465     | 2 / 5 | 51 / 127   | 39.1     | 992  | 23.8   | 605  | 15.3  | 390  | 50.2   | 22.8   | Y  |
| 3RR-5U30-25B           | 5                      | 8.75  | 222 | 30           | 762 | 18.31 | 465     | 2 / 5 | 51 / 127   | 45       | 1144 | 23.8   | 605  | 15.3  | 390  | 68.6   | 31.1   | Y  |
| 3RS-5U30-25B           | 5                      | 8.75  | 222 | 30           | 762 | 18.31 | 465     | 2 / 5 | 51 / 127   | 45       | 1144 | 23.8   | 605  | 15.3  | 390  | 55.8   | 25.3   | Y  |
| 3RR-6U20-22B           | 6                      | 10.5  | 267 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 17.1  | 433  | TBA    | TBA    | Y  |
| 3RS-6U20-22B           | 6                      | 10.5  | 267 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 17.1  | 433  | TBA    | TBA    | Y  |
| 1SKB-R906U20           | 6                      | 10.5  | 267 | 20           | 508 | 18.31 | 465     | 2.25  | 57         | 27       | 686  | 27.8   | 705  | 18.9  | 479  | 43.3   | 19.6   | Y  |
| 3SKB-R06U20W           | 6                      | 10.5  | 267 | 20           | 508 | 18.31 | 465     | 2.25  | 57         | 28.5     | 724  | 28     | 711  | 19.5  | 495  | 50.7   | 23     | Y  |
| 3SKB-R906U24           | 6                      | 10.5  | 267 | 24           | 610 | 18.31 | 465     | 4.5   | 114        | 36       | 914  | 26.8   | 679  | 20    | 507  | 66.6   | 30.2   | Y  |
| 3SKB-R906U28           | 6                      | 10.5  | 267 | 29.25        | 743 | 18.31 | 465     | 4.5   | 114        | 42       | 1067 | 26.8   | 679  | 19.5  | 495  | 67.8   | 30.8   | Y  |
| 3SKB-R906U30           | 6                      | 10.5  | 267 | 30           | 762 | 18.31 | 465     | 4.5   | 114        | 42       | 1067 | 26.8   | 679  | 19.5  | 495  | 66.8   | 30.3   | Y  |
| 3RR-7U20-22B           | 7                      | 12.25 | 311 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 18.8  | 478  | TBA    | TBA    | Y  |
| 3RS-7U20-22B           | 7                      | 12.25 | 311 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 18.8  | 478  | TBA    | TBA    | Y  |
| 3RR-7U24-25B           | 7                      | 12.25 | 311 | 24           | 610 | 18.31 | 465     | 2 / 5 | 51 / 127   | 39.1     | 992  | 23.8   | 605  | 18.8  | 479  | 68.6   | 31.1   | Y  |
| 3RS-7U24-25B           | 7                      | 12.25 | 311 | 24           | 610 | 18.31 | 465     | 2 / 5 | 51 / 127   | 39.1     | 992  | 23.8   | 605  | 18.8  | 479  | 55.8   | 25.3   | Y  |
| 1SKB-R908U20           | 8                      | 14    | 356 | 20           | 508 | 18.31 | 465     | 2.25  | 57         | 29       | 737  | 27.8   | 705  | 22.3  | 565  | 46.5   | 21.1   | Y  |
| 3SKB-R08U20W           | 8                      | 14    | 356 | 20           | 508 | 18.31 | 465     | 2.25  | 57         | 30.5     | 775  | 28     | 711  | 23    | 584  | 56     | 25.4   | Y  |
| 3SKB-R908U24           | 8                      | 14    | 356 | 24           | 610 | 18.31 | 465     | 4.5   | 114        | 36       | 914  | 26.8   | 679  | 23.3  | 591  | 74.7   | 33.9   | Y  |
| 3SKB-R908U28           | 8                      | 14    | 356 | 29.25        | 743 | 18.31 | 465     | 4.5   | 114        | 42       | 1067 | 26.8   | 679  | 23.5  | 597  | 78.2   | 35.4   | Y  |
| 3SKB-R908U30           | 8                      | 14    | 356 | 30           | 762 | 18.31 | 465     | 4.5   | 114        | 42       | 1067 | 26.8   | 679  | 23.5  | 597  | 76.8   | 34.8   | Y  |
| 3RR-9U20-22B           | 9                      | 15.75 | 400 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 22.3  | 566  | TBA    | TBA    | Y  |
| 3RS-9U20-22B           | 9                      | 15.75 | 400 | 20           | 508 | 18.31 | 465     | 2     | 51         | 32.3     | 819  | 23.9   | 607  | 22.3  | 566  | TBA    | TBA    | Y  |
| 3RR-9U24-25B           | 9                      | 15.75 | 400 | 24           | 610 | 18.31 | 465     | 2 / 5 | 51 / 127   | 39.1     | 992  | 23.8   | 605  | 22.3  | 567  | 77     | 34.9   | Y  |
| 3RS-9U24-25B           | 9                      | 15.75 | 400 | 24           | 610 | 18.31 | 465     | 2 / 5 | 51 / 127   | 39.1     | 992  | 23.8   | 605  | 22.3  | 567  | 65.4   | 29.6   | Y  |
| 1SKB-R910U20           | 10                     | 17.5  | 445 | 20           | 508 | 18.31 | 465     | 3.25  | 83         | 29       | 737  | 27.8   | 705  | 26.1  | 664  | 54.4   | 24.7   | Y  |
| 3SKB-R10U20W           | 10                     | 17.5  | 445 | 20           | 508 | 18.31 | 465     | 2.25  | 57         | 30.5     | 775  | 28     | 711  | 26.5  | 673  | 59     | 26.8   | Y  |
| 3SKB-R910U24           | 10                     | 17.5  | 445 | 24           | 610 | 18.31 | 465     | 4.5   | 114        | 36       | 914  | 26.8   | 679  | 26.8  | 679  | 79.9   | 36.2   | Y  |
| 3SKB-R910U28           | 10                     | 17.5  | 445 | 29.25        | 743 | 18.31 | 465     | 4.5   | 114        | 42       | 1067 | 26.8   | 679  | 27.3  | 692  | 81.3   | 36.9   | Y  |
| 3SKB-R910U30           | 10                     | 17.5  | 445 | 30           | 762 | 18.31 | 465     | 4.5   | 114        | 42       | 1067 | 26.8   | 679  | 27.3  | 692  | 79.9   | 36.2   | Y  |
| 3RR-11U20-22B          | 11                     | 19.25 | 489 | 20           | 508 | 18.31 | 465     | 2     | 50.8       | 32.3     | 819  | 23.9   | 607  | 25.8  | 655  | TBA    | TBA    | Y  |
| 3RS-11U20-22B          | 11                     | 19.25 | 489 | 20           | 508 | 18.31 | 465     | 2     | 50.8       | 32.3     | 819  | 23.9   | 607  | 25.8  | 655  | TBA    | TBA    | Y  |

| Rack Height   |    |       | Rack Product |    |     | Rack Shock   |     |       | 19 Rack  |      | Lid I.D.   |      | Length |      | Width |       | Height |       |
|---------------|----|-------|--------------|----|-----|--------------|-----|-------|----------|------|------------|------|--------|------|-------|-------|--------|-------|
| All Racks     |    |       | U Size       |    |     | Length/Depth |     |       | Width    |      | Front/Back |      | O.D.   |      | O.D.  |       | Weight |       |
| Absorbers     |    |       |              |    |     |              |     |       |          |      |            |      |        |      |       |       |        |       |
| Model #       | U  | in    | mm           | in | mm  | in           | mm  | in    | mm       | in   | mm         | in   | mm     | in   | mm    | lb    | kg     | (Y/N) |
| 3RR-11U24-25B | 11 | 19.25 | 489          | 24 | 610 | 18.31        | 465 | 2 / 5 | 51 / 127 | 39.1 | 992        | 23.8 | 605    | 25.8 | 656   | 83.2  | 37.7   | Y     |
| 3RS-11U24-25B | 11 | 19.25 | 489          | 24 | 610 | 18.31        | 465 | 2 / 5 | 51 / 127 | 39.1 | 992        | 23.8 | 605    | 25.8 | 656   | 70    | 31.8   | Y     |
| 1SKB-R912U20  | 12 | 21    | 533          | 20 | 508 | 18.31        | 465 | 3.25  | 83       | 29   | 737        | 27.8 | 705    | 26.9 | 683   | 57    | 25.8   | Y     |
| 3SKB-R12U20W  | 12 | 21    | 533          | 20 | 508 | 18.31        | 465 | 2.25  | 57       | 30.5 | 775        | 28   | 711    | 30   | 762   | 68    | 30.8   | Y     |
| 3SKB-R912U24  | 12 | 21    | 533          | 24 | 610 | 18.31        | 465 | 4.5   | 114      | 36   | 914        | 26.8 | 679    | 30.5 | 773   | 83.3  | 37.8   | Y     |
| 3RR-14U20-22B | 14 | 24.5  | 622          | 20 | 508 | 18.31        | 465 | 2     | 50.8     | 32.3 | 819        | 23.9 | 607    | 30.9 | 785   | TBA   | TBA    | Y     |
| 3RS-14U20-22B | 14 | 24.5  | 622          | 20 | 508 | 18.31        | 465 | 2     | 50.8     | 32.3 | 819        | 23.9 | 607    | 30.9 | 785   | TBA   | TBA    | Y     |
| 1SKB-R914U20  | 14 | 24.5  | 622          | 20 | 508 | 18.31        | 465 | 3.25  | 83       | 29   | 737        | 27.9 | 708    | 32.4 | 822   | 68.6  | 31.1   | Y     |
| 3RR-14U24-25B | 14 | 24.5  | 622          | 24 | 610 | 18.31        | 465 | 2 / 5 | 51 / 127 | 39.1 | 992        | 23.8 | 605    | 30.9 | 786   | 94.8  | 43     | Y     |
| 3RS-14U24-25B | 14 | 24.5  | 622          | 24 | 610 | 18.31        | 465 | 2 / 5 | 51 / 127 | 39.1 | 992        | 23.8 | 605    | 30.9 | 786   | 71    | 32.2   | Y     |
| 3SKB-R914U24  | 14 | 24.5  | 622          | 24 | 610 | 18.31        | 465 | 4.5   | 114      | 36   | 914        | 26.8 | 679    | 34   | 862   | 94.2  | 42.7   | Y     |
| 1SKB-R916U20  | 16 | 28    | 711          | 20 | 508 | 18.31        | 465 | 3.25  | 83       | 29   | 737        | 27.3 | 692    | 35.9 | 911   | 76    | 34.5   | Y     |
| 3SKB-R916U24  | 16 | 28    | 711          | 24 | 610 | 18.31        | 465 | 4.5   | 114      | 36   | 914        | 26.8 | 679    | 38   | 965   | 102.6 | 46.5   | Y     |

## Non-Shock Rack Size Options

\* Two rack options available:  
Bottom rack dimensions listed first

| Rack Height   |        |             | Rack Product |            |          | Rack Shock   |     |      | 19 Rack |      | Lid I.D.   |      | Length |      | Width |      | Height |       |
|---------------|--------|-------------|--------------|------------|----------|--------------|-----|------|---------|------|------------|------|--------|------|-------|------|--------|-------|
| All Racks     |        |             | U Size       |            |          | Length/Depth |     |      | Width   |      | Front/Back |      | O.D.   |      | O.D.  |      | Weight |       |
| Absorbers     |        |             |              |            |          |              |     |      |         |      |            |      |        |      |       |      |        |       |
| Model #       | U      | in          | mm           | in         | mm       | in           | mm  | in   | mm      | in   | mm         | in   | mm     | in   | mm    | lb   | kg     | (Y/N) |
| 1SKB-SC191U   | 1      | 1.75        | 44           | 1          | 25       | 18.31        | 465 | N/A  | N/A     | 17.5 | 445        | 20.8 | 527    | 3.8  | 95    | 6.6  | 3      | N     |
| 1SKB-SC192U   | 2      | 3.5         | 89           | 2          | 51       | 18.31        | 465 | N/A  | N/A     | 17.5 | 445        | 20.8 | 527    | 6.5  | 165   | 9    | 4.1    | N     |
| 1SKB-R2S      | 2      | 3.5         | 89           | 10.7       | 272      | 18.31        | 465 | 1.25 | 32      | 16.2 | 411        | 22.4 | 569    | 6.1  | 156   | 9.4  | 4.3    | N     |
| 1SKB-ISF2U    | 2      | 3.5         | 89           | 11.25      | 286      | 18.31        | 465 | 2    | 51      | 21.8 | 552        | 13.9 | 352    | 9    | 229   | 15.3 | 6.9    | N     |
| 3i-2217M82U   | 2      | 3.5         | 89           | 12.75      | 324      | 18.31        | 465 | N/A  | N/A     | 24.4 | 619        | 19.5 | 495    | 8.8  | 222   | 19.1 | 8.6    | N     |
| 1SKB-R2U      | 2      | 3.5         | 89           | 17.6       | 447      | 18.31        | 465 | 1.25 | 32      | 24   | 610        | 22.4 | 569    | 5.9  | 149   | 10.8 | 4.9    | N     |
| 1SKB-R3S      | 3      | 5.25        | 133          | 10.7       | 272      | 18.31        | 465 | 1.25 | 32      | 16.2 | 411        | 22.4 | 569    | 7.9  | 200   | 10.5 | 4.8    | N     |
| 3i-2217M103U  | 3      | 5.25        | 133          | 12.75      | 324      | 18.31        | 465 | N/A  | N/A     | 24.3 | 616        | 19.5 | 495    | 12.3 | 311   | 26.5 | 12     | N     |
| 1SKB-R3U      | 3      | 5.25        | 133          | 17.6       | 447      | 18.31        | 465 | 1.25 | 32      | 24   | 610        | 22.4 | 569    | 7.6  | 194   | 12.3 | 5.6    | N     |
| 1SKB-R4S      | 4      | 7           | 178          | 6          | 152      | 18.31        | 465 | 1.25 | 32      | 16.2 | 411        | 22.4 | 569    | 9.1  | 231   | 11.8 | 5.4    | N     |
| 3i-2217M124U  | 4      | 7           | 178          | 12.75      | 324      | 18.31        | 465 | N/A  | N/A     | 24.5 | 622        | 19.5 | 495    | 14.5 | 368   | 28.6 | 13     | N     |
| 1SKB-ISF4U    | 4      | 7           | 178          | 11.25      | 286      | 18.31        | 465 | 2    | 51      | 24   | 610        | 18.8 | 476    | 12.8 | 324   | 22.1 | 10     | N     |
| 1SKB-R4U      | 4      | 7           | 178          | 17.6       | 447      | 18.31        | 465 | 1.25 | 32      | 24   | 610        | 22.4 | 569    | 9.4  | 238   | 14.7 | 6.7    | N     |
| 1SKB-R4UW     | 4      | 7           | 178          | 17.5       | 445      | 18.31        | 465 | 1.5  | 38      | 26.5 | 673        | 22.5 | 572    | 11.5 | 292   | 22.9 | 10.4   | N     |
| 1SKB-R6S      | 6      | 10.5        | 267          | 10.7       | 272      | 18.31        | 465 | 1.25 | 32      | 16.2 | 411        | 22.4 | 569    | 13.1 | 333   | 15.9 | 7.2    | N     |
| 3i-2317M146U  | 6      | 10.5        | 267          | 12.75      | 324      | 18.31        | 465 | N/A  | N/A     | 25.8 | 654        | 19.5 | 495    | 15.5 | 394   | 31.2 | 14     | N     |
| 1SKB-R6U      | 6      | 10.5        | 267          | 17.6       | 447      | 18.31        | 465 | 1.25 | 32      | 24   | 610        | 22.4 | 569    | 13   | 330   | 18.4 | 8.3    | N     |
| 1SKB-R6UW     | 6      | 10.5        | 267          | 17.5       | 445      | 18.31        | 465 | 1.5  | 38      | 26.5 | 673        | 22.5 | 572    | 15   | 381   | 25.4 | 11.5   | N     |
| 1SKB-R8U      | 8      | 14          | 356          | 17.6       | 447      | 18.31        | 465 | 1.25 | 32      | 24   | 610        | 22.4 | 569    | 16.7 | 424   | 22.3 | 10.1   | N     |
| 1SKB-R8UW     | 8      | 14          | 356          | 17.5       | 445      | 18.31        | 465 | 1.5  | 37      | 26.8 | 679        | 22.5 | 572    | 18.5 | 470   | 28.6 | 13     | N     |
| 1SKB-R100     | 10     | 17.5        | 445          | 5.25       | 133      | 18.31        | 465 | N/A  | N/A     | 23.3 | 591        | 22.8 | 578    | 11.8 | 298   | 16.2 | 7.3    | N     |
| 1SKB-R10U     | 10     | 17.5        | 445          | 17.6       | 447      | 18.31        | 465 | 1.25 | 32      | 24   | 610        | 22.4 | 569    | 20.3 | 514   | 23.8 | 10.8   | N     |
| 1SKB-R12U     | 12     | 21          | 533          | 17.6       | 447      | 18.31        | 465 | 1.25 | 32      | 24   | 610        | 22.4 | 569    | 23.6 | 600   | 29.2 | 13.2   | N     |
| *1SKB-R102    | 10 / 2 | 17.5 / 3.5  | 445 / 89     | 19.5 / 3.5 | 495 / 89 | 18.31        | 465 | N/A  | N/A     | 23.1 | 587        | 23.1 | 587    | 14.1 | 359   | 20   | 9.1    | N     |
| 1SKB-R102W    | 10 / 2 | 17.5 / 3.5  | 445 / 89     | 19.5 / 3.5 | 495 / 89 | 18.31        | 465 | N/A  | N/A     | 28   | 711        | 23.5 | 597    | 14.3 | 362   | 20   | 9.1    | N     |
| *1SKB-R104    | 10 / 4 | 17.5 / 7    | 445 / 178    | 19.5 / 3.5 | 495 / 89 | 18.32        | 465 | N/A  | N/A     | 23.9 | 607        | 23.3 | 591    | 17.8 | 451   | 22.7 | 10.3   | N     |
| 1SKB-R104W    | 10 / 4 | 17.5 / 7    | 445 / 178    | 19.5 / 3.5 | 495 / 89 | 18.31        | 465 | N/A  | N/A     | 27.8 | 705        | 23   | 584    | 19.3 | 489   | 20   | 9.1    | N     |
| *1SKB-R106    | 10 / 6 | 17.5 / 10.5 | 445 / 267    | 19.5 / 3.5 | 495 / 89 | 18.33        | 466 | N/A  | N/A     | 23.6 | 600        | 23   | 584    | 21.4 | 544   | 25.4 | 11.5   | N     |
| 1SKB-R106W    | 10 / 6 | 17.5 / 10.5 | 445 / 267    | 19.5 / 3.5 | 495 / 89 | 18.31        | 465 | N/A  | N/A     | 28   | 711        | 23   | 584    | 22.8 | 578   | 37.6 | 17     | N     |
| *1SKB19-R1208 | 12 / 8 | 21 / 14     | 533 / 356    | 19.5 / 3.5 | 495 / 89 | 18.34        | 466 | N/A  | N/A     | 27.5 | 699        | 23.5 | 597    | 29.5 | 749   | 68.6 | 31.1   | N     |
| *1SKB19-R1406 | 14 / 6 | 24.5 / 10.5 | 622 / 267    | 19.5 / 3.5 | 495 / 89 | 18.35        | 466 | N/A  | N/A     | 32.3 | 819        | 24   | 610    | 26.1 | 664   | 69.5 | 31.5   | N     |

# INNOVATIVE NON-SHOCK & SPECIALTY RACK CASES

## iSeries Fly Racks

Featuring both injection molded cases and racks, these improved waterproof Fly Racks are less than half the weight of standard shock racks and under 62 linear inches—the perfect solution for flying or shipping delicate equipment.



## Roto Racks

Roto-molded racks with 19" depth and a molded-in, unbendable valance, and threaded steel rails with self-tapping screws.



## Shallow Racks

10.5" depth shallow racks accommodate a variety of smaller components without having to unplug them to close the back panel.



## Non-Shock Rolling Racks

Improved rolling rack models offer secure protection with the convenience of sturdy wheels and an easy-to-operate pull handle.



## Studio Flyers

A powerhouse of innovative features in a compact size, injection molded to be lighter, stronger, and more affordable than previous models.



## Compact Rigs

The perfect rack mount solution for carrying and protecting smaller pro audio gear and complete rolling transportation systems.



Contact your sales representative for more information on pricing, sizes, accessories, and customization options

P.O. Box 936  
Sykesville, MD 21784  
[www.SpecialtyCases.com](http://www.SpecialtyCases.com)  
Phone: 301-497-9032  
Toll Free: 800-267-1674

  
**SPECIALTY CASES**  
[DESIGN ■ SUPPORT ■ PROTECT]



©2019 SKB Corporation